

| Price list Date 09. January 2025  |             |                  |  |  |  |
|---|-------------|------------------|--|--|--|
| Description of Article  | Article-No. | Price €          |  |  |  |
| Battery Tester and Charger <i>curatio</i> APL-4 Batteries are connected via 4 mm plugs with program memory inside the APL-4.  | 10090       | 1.390,-          |  |  |  |
| Battery Tester and Charger <i>curatio</i> APL-4 Batteries are connected via 15-pin d-connector with external program memory.  | 10091       | 1.390,-          |  |  |  |
| Battery Tester and Charger <i>curatio</i> APL-4 48V Batteries are connected via 4 mm plugs with program memory inside the APL-4. Charging voltage up to 45,0V. Charging / discharging current 2 x 3,0A.   | 10094       | 1.990,-          |  |  |  |
| Battery Tester and Charger <i>curatio</i> APL-4 48V Batteries are connected via 15-pin d-connector with external program memory. Charging voltage up to 45,0V. Charging / discharging current 2 x 3,0A.   | 10095       | 1.990,-          |  |  |  |
| Battery Tester and Charger <i>curatio</i> P4 2,2A Batteries are connected via 4 mm plugs with program memory inside the P4.   | 10010       | not<br>available |  |  |  |
| Adapter with 15-pin d-connector to 4 mm plugs for connection to the APL-4 with external program memory. Program memory in 15-pin plug casing.   | 10350       | 28,-             |  |  |  |
| Special version Battery Tester and Charger curatio APL-4  |             |                  |  |  |  |
| Battery Tester and Charger <i>curatio</i> APL-4 Batteries are connected via 15-pin d-connector with external program memory.  Part charge to a programmable percentage of the battery capacity. Including PC software <i>curatio</i> WIN3 and USB cable.  | 10082       | 1.850,-          |  |  |  |
| Battery Tester and Charger <i>curatio</i> APL-4 Batteries are connected via 4 mm plugs with program memory inside the APL-4.  Part charge to a programmable percentage of the battery capacity. Including PC software <i>curatio</i> WIN3 and USB cable.  | 10084       | 1.850,-          |  |  |  |
| Battery Tester and Charger <i>curatio</i> APL-4 48V Batteries are connected via 15-pin d-connector with external program memory. Charging voltage up to 45,0V. Charging / discharging current 2 x 3,0A.  Part charge to a programmable percentage of the battery capacity. Including PC software <i>curatio</i> WIN3 and USB cable. | 10083       | 2.290,-          |  |  |  |
| Battery Tester and Charger <i>curatio</i> APL-4 48V Batteries are connected via 4 mm plugs with program memory inside the APL-4. Charging voltage up to 45,0V. Charging / discharging current 2 x 3,0A.  Part charge to a programmable percentage of the battery capacity. Including PC software <i>curatio</i> WIN3 and USB cable. | 10085       | 2.290,-          |  |  |  |



| PC-Software  |       |       |  |  |  |
|--|-------|-------|--|--|--|
| curatioWIN for curatio P4 ( Not for Windows Vista, Windows 7 and higher)   | 20010 | 0,-   |  |  |  |
| curatioWIN3 for curatio APL  | 20030 | 55,-  |  |  |  |
| Serial PC connection cable for the Battery Tester and Charger <i>curatio</i> (Cable is not contained in the extent of supply of the software)  | 10120 | 19,-  |  |  |  |
| USB – RS 232 Adapter with Cable from PC (USB) to <i>curatio</i>  |       | 55,-  |  |  |  |
| Charging cable, Universal Battery Adapter, Suitcase  |       |       |  |  |  |
| Two charger cables 2 x 0.5 m 2.5 mm² with 4 mm Laboratory plugs and 2 tapping clips (crocodile clips)  |       | 19,-  |  |  |  |
| Suitcase SafetyBag® 3616-250 outdoorLine case for holding<br>1 piece of Battery Tester and Charger <i>curatio</i> APL-4, 4 pieces of battery adapter<br>and compartment for cable sets | 46310 | 595,- |  |  |  |

| Price list battery adapter ((all listed without charging electronics) | Typ 2<br>with 4 mm plugs |         | Typ 3<br>extern program memory<br>only <i>curatio</i> APL |                  |
|---|--------------------------|---------|---|------------------|
| Batterietype  | ArtNo.                   | Price € | ArtNo.  | Price €          |
| Motorola GP320, 340, 360, 380, 640, 680, 1280, H9008, H9012           | 31121                    | 120,-   | 71121   | 120,-            |
| Motorola GP900 Cenelec NTN7148 Ex-protected, GP900 ATEX RNN4008 1)    | 31151                    | 120,-   | 71151   | 145,-            |
| Motorola MTP850   | 31162                    | 120,-   | 71162   | 120,-            |
| Sepura 8000/9000 series   | 31253                    | 120,-   | 71253   | not<br>available |
| BB-2590 2)  |                          |         | 79217   | 560,-            |
| PRC-148 2)  | 39212                    | 295, -  | 79212   | 560,-            |
| BB-2557 / AR132 2)  |                          |         | 79229   | 560,-            |
| AR048-03 2)   |                          |         | 79228   | 560,-            |





| Price list battery adapter ((all listed without charging electronics) | Typ 2 with 4 mm plugs |         | Typ 3<br>extern program memory<br>only <i>curatio</i> APL |         |
|---|-----------------------|---------|---|---------|
| Batterietype  | ArtNo.                | Price € | ArtNo.  | Price € |
| BT-70838 2)   |                       |         | 79220   | 560,-   |
| DEP2600 2)  |                       |         | 79221   | 560,-   |
| Nyxus 2)  |                       |         | 7922  | 560     |

- 1) Ex- protected batteries charging or discharging only with curatio APL-4!!
- 2) Adapter will only made by order. Minimum order of 4 pieces.

For batteries types not listed above, we can send you an offer.

Reserves the right to make changes. Offers only for commercial customers.

Prices per each item in Euros not including 19% German VAT, Shipping and packaging costs.

Deliveries to foreign countries require payment in advance.

Our delivery and payment conditions only are applicable in all cases.